PATENT COOPERATION TREATY

PCT

REC'D	1	1	NOA	2005
WIPO	·····			PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

	Applicant's or agent's file reference PF030176		s file reference	FOR FURTHER AC	TION See Notific Preliminary	ation of Transmittal of International Examination Report (Form PCT/IPEA/416)
nternational application No. PCT/EP2004/053098 International filing date (date) 25.11.2004		lay/month/year)	Priority date (day/month/year) 28.11.2003			
nterna	tional l	Pateni		both national classification ar	nd IPC	
Applica THO!	ant MSOI	V LIC	ENSING S.A. ET	AL.		· ·
1.	This in	nterna ority a	ational preliminary ex nd is transmitted to t	kamination report has been he applicant according to	n prepared by this Article 36.	International Preliminary Examining
2.	This I	REPC	RT consists of a total	al of 5 sheets, including th	nis cover sheet.	
	⊠	•		panied by ANNEXES, i.e. ne basis for this report and tion 607 of the Administrat	ian sheeta contain	cription, claims and/or drawings which have ing rectifications made before this Authority der the PCT).
	Thes	•	exes consist of a tot			
	•					
3.	This	repor	t contains indication	s relating to the following it	tems:	
	l	\boxtimes	Basis of the opinion	n		
	11		Priority			the section district applicability
	111		Non-establishment	of opinion with regard to t	novelty, inventive	step and industrial applicability
	iV		Lack of unity of inv	rention		u. :
	V		Reasoned statemed citations and explanations and explanations.	ent under Rule 66.2(a)(ii) wantions supporting such s	vith regard to nove tatement	elty, inventive step or industrial applicability;
	VI		Certain documents			
	. VII		Certain defects in	the international applicatio	n	
	VIII		Certain observation	ns on the international app	olication	
	VIII		Certain observatio	ns on the international app	Date of completion	on of this report
	VIII		Certain observation	ns on the international app	olication	on of this report
16.0	VIII of sub	omissi 005 mailir	on of the demand	ns on the international apparent	Date of completion	
16.0	VIII of sub	omissi 005 mailir vexan	on of the demand	eational P.B. 5818 Patentiaan 2 eavs Bas	Date of complete	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP2004/053098

1	Basis	of the	report
ı.	Dasis		10h-1

1. With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

!	Desc	ription, Pages					
	1-7		as originally filed				
	Clair	ns, Numbers	as amended (together with any statement) under Art. 19 PCT				
	1-6		as amended (logeliter with any statement) and or the second secon				
	Drav	vings, Sheets					
	1/4-4		as originally filed				
2. With regard to the language , all the elements marked above were available or furnished to this Author language in which the international application was filed, unless otherwise indicated under this item.							
	_	_	ilable or furnished to this Authority in the following language: , which is:				
			nslation furnished for the purposes of the international search (under Rule 23.1(b)).				
		the language of publication of the international application (under Rule 48.3(b)).					
		the language of a trar Rule 55.2 and/or 55.3	nslation furnished for the purposes of international preliminary examination (under 8).				
3.	With inte	n regard to any nucleo rnational preliminary e	otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:				
			national application in written form.				
		filed together with the	e international application in computer readable form.				
		furnished subsequen	tly to this Authority in written form.				
		furnished subsequently to this Authority in computer readable form.					
		The statement that the international ar	ne subsequently furnished written sequence listing does not go beyond the disclosure polication as filed has been furnished.				
		The statement that the listing has been furni	he information recorded in computer readable form is identical to the written sequence				
4	. The	e amendments have re	esulted in the cancellation of:				
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP2004/053098

5. 🗆	This report has been established as if (some of) the amendments had not been made, sind been considered to go beyond the disclosure as filed (Rule 70.2(c)).	ce they	have
------	--	---------	------

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-6

No: Claims

Inventive step (IS) Yes: Claims 1-6

No: Claims

Industrial applicability (IA) Yes: Claims 1-6

No: Claims

2. Citations and explanations

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- Reference is made to the following document: 1. D1: US-A-5 811 799 (WU ET AL) 22 September 1998 (1998-09-22)
- The document D1 is regarded as being the closest prior art to the subject-matter of 2. claim 1, and shows (the references in parentheses applying to this document): Method of producing a photoelectric transducer, having the steps of:
 - -providing a spacer (30) with a recess in a rigid material;
 - -mounting the spacer (30) on board (10) bearing at least an optical sensor (50) in such a way that the optical sensor (50) is located in the recess;
 - -filling at least part of the recess with an optical glue, and
 - -hardening the optical glue,
- The subject-matter of claim 1 differs from this known D1 in that the width of the 3. recess is such large that after hardening the surface of the optical glue is plane at least above the optical sensor (50). It is therefore not disclosed in the available prior art nor obvious for these skilled in the art.
- The subject-matter of claim 1 is therefore new (Article 33(2) PCT). 4.
- The problem to be solved by the present invention may be regarded as how to 5. simplify manufacturing of the transducer for the optical pick up device.
- Claim 2 is the device claim related to claim 1 and it is also new (Article 33(2) PCT). 6.
- Claim 3 comprises all the features of claim 2 and should have been therefore formu-7. lated as a claim dependent on the latter (Rule 6.4 PCT).
- Claims 3-6 are dependent on claim 2 and as such also meet the requirements of the 8. PCT with respect to novelty and inventive step.

EXAMINATION REPORT - SEPARATE SHEET

15

PF030176*WO*clm01*JZ/Su*130905

- 12 -

Claims

- 1. Method of producing a photoelectric transducer, having the steps of:
- 5 providing a spacer (7) with a recess in a rigid material;
 - mounting the spacer (7) on a board (8) bearing at least an optical sensor (9) in such a way that the optical sensor (9) is located in the recess;
- filling at least part of the recess with an optical glue (11), and
 - hardening the optical glue (11),

 wherein the width of the recess is such large that after
 hardening the surface of the optical glue (11) is plane
 at least above the optical sensor (9).
- Photoelectric transducer, including a spacer (7) with a recess in a rigid material, the spacer (7) being mounted on a board (8) bearing at least an optical sensor
 (9) in such a way that the optical sensor (9) is located in the recess, at least part of the recess being filled with an optical glue (11), characterized in that the width of the recess is such large that the surface of the hardened optical glue (11) is plane at least above the
 optical sensor (9)
 - 3. Optical pick up suitable for reading an optical disc, comprising:
- a photoelectric transducer according to claim 2, and
 an optical body (1) with means for transmitting at
 least one light ray to the optical sensor (9) through the

5

10

15

PF030176*WO*clm01*JZ/Su*130905

- 13 -

optical glue (11), the spacer (7) of the photoelectric transducer being fastened to the optical body (1).

- 4. Optical pick up according to claim 3, characterized in that the wall (14) of the spacer (7) defining the recess is perpendicular to the board (8).
 - 5. Optical pick up according to claim 4, characterized in that it uses at least two light rays, and at least two optical sensors (9a, 9b) on the board (8) each designed to receive one light ray, the spacing (E3) between the centers of the optical sensors being the same as the spacing (F3) between the corresponding light rays (R1 and R2) at the surface of the optical glue (11).
 - 6. Optical pick up according to one of claims 3 to 5, characterized in that the spacer (7) and the optical body (1) are produced in the same material.